

Whiting Systems, Inc.

Automated Vehicle Wash Systems



Industrial Power Wash Systems

Est. 1974

Safety Data Sheet

Issue Date: 10-Nov-2015

Revision Date: 10-Nov-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SmartWash Super Red

Other means of identification

SDS # WS-061

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Details of the supplier of the safety data sheet

Supplier Address

Whiting Systems, Inc.
9000 Highway 5 North
Alexander, AR 72002

Emergency Telephone Number

Company Phone Number 1-800-542-9031

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red liquid

Physical State Liquid

Odor Pleasant Cherry Fragrance

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Preccautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Preccautionary Statements - Storage

Store locked up

Preccautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

1-5% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium metasilicate pentahydrate	10213-79-3	1-3
Potassium hydroxide	1310-58-3	1-3
Tetrasodium EDTA	64-02-8	1-3
Phosphorous acid	10294-56-1	1-3
Phosphoric Acid	7664-38-2	0.1, Trace

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First Aid Measures****Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.

Skin Contact

Wash with soap and water. DO NOT attempt to neutralize with chemical agents. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash mouth and nasal passages with water repeatedly. Call a physician immediately.

Ingestion

Rinse mouth. Do not induce vomiting. Drink plenty of water or milk immediately. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms May cause irritation to the mucous membranes and upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn. Exposed individuals may experience eye tearing, redness and discomfort. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Existing conditions aggravated by exposure: skin disorders, skin allergies, respiratory disorders, eye disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Water. Water spray (fog). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Keep containers cool with water spray to prevent container rupture due to steam buildup. Floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Wash small spills to sanitary sewer. Large spills-confine spill, soak up with approved absorbent, and shovel product into approved container for disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802; refer to 40 CFR 302 for detailed instructions concerning reporting requirements.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Protect container from physical damage.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from extreme temperatures.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate pentahydrate 10213-79-3	-	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	-
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Phosphoric Acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Provide sufficient mechanical ventilation to maintain exposure below TLV(s). Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear approved safety goggles.

Skin and Body Protection

Neoprene, butyl or nitrile rubber gloves with cuffs. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory Protection

None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Respiratory protection must be provided in accordance with OSHA regulations (29 CFR1910.134) or European Standard EN 149, as applicable.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid

Appearance

Purple liquid

Odor

Characteristic Detergent

Color

Purple

Odor Threshold

Not determined

Property

Values

Remarks • Method

pH 12.8-13.0

Melting Point/Freezing Point Not determined
Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point Non-flammable
Evaporation Rate <1

(Water = 1)

Flammability (Solid, Gas) n/a-liquid

Upper Flammability Limits Not applicable

Lower Flammability Limit Not applicable
Vapor Pressure Not determined
Vapor Density Not determined
Specific Gravity 1.070
Water Solubility Completely soluble
Solubility in other solvents Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks -Method</u>
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not Determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Extreme temperatures.

Hazardous polymerization does not occur.

Incompatible Materials

Strong oxidizing agents

Hazardous Decomposition Products

Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns

Inhalation Avoid breathing vapors or mist

Ingestion Do not taste or swallow

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate pentahydrate 10213-79-3	847 mg/Kg (Rat)	-	-
Potassium hydroxide 1310-58-3	314 mg/kg (Rat)	-	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h

Information on physical, chemical and toxicological effects**Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity

1-5% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive
Phosphoric Acid 7664-38-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

15. REGULATORY INFORMATION**International Inventories**

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Phosphoric Acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (1-5)	1000 lb			X
Phosphoric Acid 7664-38-2 (1-5)	5000 lb			X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Phosphoric Acid 7664-38-2	X	X	X

16. OTHER INFORMATION

NFPA**Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

2

Flammability

0

Physical Hazards

0

Personal Protection

Not determined

Issue Date: 10-Nov-2015

Revision Date: 10-Nov-2015

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet